

0/0

API UNIT - I

GRANULES INDIA LTD., H.No.: 6-5 & 6-11, Temple Road, Bonthapally Village, Gummadidala Mandal, Sangareddy District - 502 313, Telangana State, India.

Tel: +91 8458 696900, Fax: +91 40 23115145, mail@granulesindia.com, www.granulesindia.com

CIN: L24110TG1991PLC012471

Date: 25/06/2024

Lr.No: GIL/API Unit-I/EHS/011/2024

To,
The Environment Engineer,
T.S. Pollution Control Board,
Regional office- II, Ramachandrapuram,
Medak (Dist), Telangana.

Dear Sir,

Sub: Submission of Bio-Medical Waste <u>Form-IV - Annual Report</u> for the period from January to December of the preceding year 2024– Reg.,

With reference to the above subject, here with we are submitting filled copy of Form-IV, with all necessary details mentioned below for the period from January to December of the Preceding year -2024.

- 1. Form-IV Annual Report
- 2. Agreement copy of M/s. Dharma & co.
- 3. Manifest copies for the period from January to December-2024.
- 4. Training Attendance.

Please find the enclosed documents. Kindly acknowledge the receipt.

Thanking you,

Yours truly,

For GRANULES INDIA LIMITED

DVL. Narasimham.

Sr. Manager-EHS

Encl.: As above

REGIONAL ORTER

OF THE SIGNAL ORTER

SIGNAL

REGISTERED OFFICE: 2nd Floor, 3rd Block, My Home Hub, Madhapur, Hyderabad - 500 081, Telangana, India.

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars		Status/Compliance
No.	Turtediais		Status/ compliance
1	Particulars of the Occupier		
	(i) Name of the authorised person	:	D. China Venkata Reddy
	(occupier or operator of facility)		Phone : 9989882580
	(ii) Name of HCF or CBMWTF	;	M/s. Granules India Limited
	(iii) Address for Correspondence	:	Sy. No: 533, 535, 535& 536,
			Bonthapally(V), Gummadidala (M),
			Sangareddy (D),TS
1	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	08458- 696900
	(vi) E-mail ID	:	Venkata.Devireddy@granulesindia.com
	(vii) URL of Website		www.granulesindia.com
	(viii) GPS coordinates of HCF or	:	Lattitude:17.654657,
	CBMWTF		Longitude:78.358356
	(ix) Ownership of HCF or CBMWTF		M/s. Granules India Private Limited
		:	Authorisation No.:
	(x) Status of Authorisation under the		TSPCB/RO/RCPM/BMWA/
	Bio-Medical Waste (Management and		2023-134, Dated:24.05.2023
	Handling) Rules		valid up to 31.03.2025
	(xi) Status of Consents under Water Act	:	200822319761
	and Air Act		200022313701
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	NA
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical		Occupational Health Centre
	Laboratory or Research Institute or Veterinary Hospital or any other)		
9	vecerinary mospitar or any other)		L

			T			
			TSPCB/RO/R	CDN 4 /D	N 41 A / A /	
					•	
			2023-134, D			
	(iii) License number and its date o	f	valid up to 3	31.03.20)25	
	expiry		_			
3	Details of CBMWTF	:	NA			
	(i) Number healthcare facilities co		IVA			
	by CBMWTF	vered :	NA			
		·F				
	(ii) No of beds covered by CBMWT		NA			
	(iii) Installed treatment and dis	posal :	NA			
	capacity of CBMWTF:					
	(iv) Quantity of biomedical waste	:	NA			
	treated or disposed by CBMWTF					
4	Quantity of waste generated or dis	oosed :	Yellow Categ	gory :	4.335 Kgs	
a i	in Kg per annum (on monthly avera	ge	Red Category	v :	1.29Kgs	
	basis)		White		0 Kgs	
			Blue Categor		1.15 Kgs	
			General Solid	d waste:	: 0 Kgs	
5	Details of the Storage, Treatment, 1	ransportat	ion, Processin	g and D	isposal Fa	cility
	(i) Details of the on-site storag	ge :	Size :C	Occupat	ional Healt	th Centre
	facility.		Category :N	١A		
	(··)		Provision of	storage	e : (Cold st	orage or
	(ii) Disposal facilities.		any other p			J
						Quantity
			Name of			treated
			the	No of	Capacity	or
			treatment	units	Kg/day	disposed
			equipment			in Kg per
						annum
			Incinerators	NA	NA	NA
			Plasma	NA	NA	NA
			Pyrolysis			
			Autoclaves	NA	NA	NA
			Microwave	NA	NA	NA
	F + - 2 H		Hydroclave	NA	NA	NA
			Shredder	NA	NA	NA
			Needle tip	NA	NA	NA
			cutter or destroyer			
			Sharps	NA	NA	NA
- 1						

			on or			
			concrete pit Deep burial	NA	NA	NA
			pits:	INA	IVA	IVA
			Chemical	NA	NA	NA
	- 1		disinfection			
			Any other	NA	NA	NA
			treatment			
	(iii) Overtity of recoverable vector		equipment:	/!:		
	(iii) Quantity of recyclable wastes solid to authorized recyclers after	:	Red Categor	у (пке ј	piastic, gias	ss etc.):
	treatment in kg per annum.		NA			
	(iv) No of vehicles used for collection	:				
	and		NA			
	transportation of biomedical waste					
	(v) Details of incineration ash and ETP	:			Quantity	Where
	sludge generated and disposed during				generat	disposed
	the treatment of wastes in Kg per annum				ed	
	-		Incineratio	n Ash	NA	NA
			ETP Sludge		NA	NA
	(vi) Name of the Common Bio-Medical	:				
	Waste Treatment Facility Operator	•	Dharma & C	0		
	through which wastes are disposed of					
	(vii) List of member HCF not handed over	:				
	bio-medical waste.					
6	Do you have bio-medical waste	:				
	management committee? If yes, attach		We are discu			
	minutes of the meetings held during the		BMW relate		_	fety
	reporting period		committee r	neeting	g.	
7	Details trainings conducted on BMW					
	(i) Number of trainings conducted on					
	BMW Management.		Two Session	S		
	(ii) number of personnel trained		04			
	(iii) number of personnel trained at the					
2	time of induction		04			
	(iv) Number of personnel not undergone					
	any training so far		0			
	,					
	(v) Whether standard manual for training		Yes			
	is available?					
	(vi) Any other information		NA			
8	Details of the accident occurred during		No Accident	יs חררווו	rred during	the year
	the Year		/ Condent	J Jocai	ca daring	, and year

(i) Number of Accidents occurred		NA
(ii) Number of the persons affected		NA
(iii) Remedial Action taken (Please attach		NA
details if any)		
		NA
(iv) Any Fatality occurred, details.		
Are you meeting the standards of air		NA
Pollution from the incinerator?		
How many times in last year could not		
met the standards?		
Details of Continuous online emission		NA
monitoring systems installed		
Liquid waste generated and treatment		
methods in place. How many times you		NA
have not met the standards in a year?		,
Is the disinfection method or sterilization		
meeting the log 4 standards? How many		
times you have not met the standards in		NA
a year?		
Any other relevant information	:	(Air Pollution Control Devices attached
	(iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in	(iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in

Certified that the above report is for the period from January 2023 to December 2023.

Thanking You

For Granules India Limited

DVL. Narasimhan

Sr. Manager

Date: 25.06.2044

Place: Bonthapally.



M/s. GRANULES INDIA LIMITED, BONTHAPALLY UNIT-1.

DATE MNO In grams In grams In grams O		BIO Medical wa		rma & Co For Janua		
0.001.02023			Yellow	Blue		White
0.001,0023						In grams
1901_2023 10616 0						0
1101,2023						0
						0
16.01.2023						0
2001.0023			0		0	0
2301,2023 8912 60 0 0 0 0 2901,2023 19901 50 0 0 0 0 2901,2023 3891 65 0 0 0 0 0 2901,2023 3891 55 0 0 0 0 0 202,20203 38976 60 0 0 0 50 0 0 202,20203 38976 60 0 0 0 0 0 202,2023 38985 30 0 0 0 0 0 13,02,2023 38985 30 0 0 0 0 0 14,02,2023 3895 30 0 0 0 0 0 14,02,2023 3895 50 0 0 0 0 0 14,02,2023 38155 0 0 0 0 0 0 202,2023 38155 0 0 0 0 0 0 202,2023 38260 50 0 0 0 0 0 0 0 0				0	0	0
27.01.2023						0
2901_2023						0
State Stat						0
02.02.2.023 8876 60 0 50 50 0 130.2.023 8092 0 0 0 0 0 130.2.003 8092 0 0 0 0 0 0 130.2.003 8092 0 0 0 0 0 0 0 150.2.023 8136 50 0 0 0 0 0 0 170.2.023 8135 0 0 0 0 0 0 0 0 170.2.023 8135 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						0
10,02,0203						0
130,22023 8092 0 0 0 0 0 170,22023 8136 550 0 0 0 0 170,22023 81355 0 0 0 0 0 0 225,02,0223 81825 0 0 0 0 0 0 0 225,02,0223 6085 0 0 0 0 0 0 0 0 0						0
15.02.2023						0
2002.2023						0
25.02.2023 6.095 0 0 0 0 0 0 0 0 0		8155	0	0	0	0
03.03.2023 8280 50 30 50			0	0	0	0
108.03.2023						0
10.03.2023						0
13.03.2023 8343 0						0
15.03.2023 8397						0
20.03.2023						0
23.03.2023 8487				U		0
25.03.2023 8520 0 0 0 27.03.2023 8567 30 0 0 05.04.2023 8756 50 0 50 07.04.2023 8756 50 0 0 12.04.2023 7272 0 0 30 14.04.2023 7269 0 0 0 19.04.2023 7341 0 0 0 19.04.2023 7341 0 0 0 22.04.2023 7411 300 0 0 25.04.2023 10191 0 0 0 28.04.2023 10318 30 0 50 29.04.2023 12827 0 0 0 20.05.2023 12911 60 0 0 20.05.2023 13081 0 0 0 20.5.2023 13153 0 0 0 20.5.2023 133150 0 0 0				0		0
27.03.2023 8567 30 0 0 0 0 0 0 0 0						0
30.03.2023						0
07.04.2023 8781 0 0 0 12.04.2023 7272 0 0 30 14.04.2023 7269 0 0 0 17.04.2023 7318 50 0 0 19.04.2023 7341 0 0 0 19.04.2023 7411 300 0 0 25.04.2023 10191 0 0 0 28.04.2023 10318 30 0 50 29.04.2023 12817 0 0 0 0 02.05.2023 12911 60 0 0 0 0 06.05.2023 13081 0 <t< td=""><td></td><td></td><td>300</td><td>0</td><td></td><td>0</td></t<>			300	0		0
12.04.2023	05.04.2023	8756	50	0	50	0
14.04.2023 7269 0 0 0 17.04.2023 7318 50 0 0 0 19.04.2023 7341 0 0 0 0 22.04.2023 7411 300 0 0 0 28.04.2023 10191 0 0 0 0 28.04.2023 12827 0 0 0 0 29.04.2023 12827 0 0 0 0 29.04.2023 12911 60 0 0 0 06.05.2023 13081 0 0 0 0 08.05.2023 13153 0 0 0 0 12.05.2023 13221 0 0 0 0 15.05.2023 13321 0 0 0 0 175.2023 13310 0 0 0 0 175.2023 13310 0 0 0 0 0 0 175.2023 13358 0 0 0 0 0 0 0 0 0<			0	0	0	0
17.04.2023 7318 50 0 0 19.04.2023 7341 0 0 0 22.04.2023 7411 300 0 0 25.04.2023 10191 0 0 0 28.04.2023 10318 30 0 50 29.04.2023 12827 0 0 0 02.05.2023 12911 60 0 0 06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 25.05.2023 13424 0 0 0 25.05.2023 13424 0 0 0 25.05.2023 13586 0 0 0						0
19.04.2023						0
22.04.2023 7411 300 0 0 25.04.2023 10191 0 0 0 28.04.2023 10318 30 0 50 29.04.2023 12827 0 0 0 02.05.2023 12911 60 0 0 06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 15.05.2023 13310 0 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 27.05.2023 13444 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13550 50 0 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>						0
25.04.2023 10191 0 0 0 28.04.2023 10318 30 0 50 29.04.2023 12827 0 0 0 02.05.2023 12911 60 0 0 06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 27.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13552 0 0 0 27.05.2023 13518 0 0 0 05.60.203 15250 50 0 0						0
28.04.2023 10318 30 0 50 29.04.2023 12827 0 0 0 02.05.2023 12911 60 0 0 06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 133266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 19.05.2023 13358 0 0 0 25.05.2023 13424 0 0 0 27.05.2023 13474 0 0 0 27.05.2023 13562 0 0 0 27.05.2023 13562 0 0 0 27.05.2023 13562 0 0 0 29.06.2023 15307 0 0 0 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td>0</td></tr<>						0
29.04.2023 12827 0 0 0 02.05.2023 12911 60 0 0 06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 90.62.203 15350 50 0 0 90.62.203 15307 0 0 0 17.06.2023 16955 50 0 0						0
02.05.2023 12911 60 15.05.2023 13310 0						0
06.05.2023 13081 0 0 0 08.05.2023 13153 0 0 0 12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 90.62.2023 15250 50 0 0 90.62.2023 15307 0 0 0 90.62.2023 16855 50 0 0 17.06.2023 16855 50 0 0 19.06.2023 16906 50 0 0 29.06.2023 12316 30 0 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>						0
12.05.2023 13221 0 0 0 15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15550 50 0 0 09.06.2023 15307 0 0 0 09.06.2023 16855 50 0 0 17.06.2023 16855 50 0 0 19.06.2023 16906 50 0 0 19.06.2023 12316 30 0 0 29.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 <	06.05.2023	13081				0
15.05.2023 13266 500 0 0 17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12493 0 0 0 01.07.2023 12490 20 0 0 <t< td=""><td>08.05.2023</td><td>13153</td><td>0</td><td>0</td><td>0</td><td>0</td></t<>	08.05.2023	13153	0	0	0	0
17.5.2023 13310 0 0 0 19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 16373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.07.2023 12493 0 0 0 21.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023		13221	. 0	0	0	0
19.05.2023 13358 0 0 0 23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 16373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 29.06.2023 12403 0 0 0 29.06.2023 12403 0 0 0 29.06.2023 12490 0 0 0 01.07.2023 12415 150 0 0 <			500		0	0
23.05.2023 13424 0 0 0 25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12458 50 0 0 21.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17046 0 0 0 18.07.2023						0
25.05.2023 13474 0 0 0 27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17046 0 0 0	20-101, 2019/08-11-15-01-15-02-1-15-0			·		0
27.05.2023 13518 0 0 0 30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 21.07.2023 12258 50 0 0 01.07.2023 12415 150 0 0 05.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17046 0 0 0 18.07.2023						0
30.05.2023 13562 0 0 0 05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0						0
05.06.2023 15250 50 0 0 09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17015 0 0 0 12.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td>						0
09.06.2023 15307 0 0 0 15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 12.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
15.06.2023 16855 50 0 0 17.06.2023 16906 50 0 0 19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
19.06.2023 6373 30 0 0 23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0		16855	50			0
23.06.2023 12316 30 0 0 29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0				0	0	0
29.06.2023 12403 0 0 0 21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0			NO. W			0
21.06.2023 12258 50 0 0 01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
01.07.2023 12415 150 0 0 03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0		WELL WELLS				0
03.07.2023 12490 20 0 0 05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
05.07.2023 16919 0 0 0 07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
07.07.2023 16959 0 0 0 10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0 0
10.07.2023 17015 0 0 0 12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
12.07.2023 17046 0 0 0 14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
14.07.2023 17088 0 0 0 18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
18.07.2023 17176 50 0 0 20.07.2023 17229 0 0 0						0
20.07.2023 17229 0 0 0						0
24.07.2023 17313 0 0						0
	24.07.2023	17313	0	0	0	0
26.07.2023 17372 100 0 100 28.07.2023 17396 0 0 0		17372	100	0	100	0

31.07.2023	17450	100	0	0	0
02.08.2023	17518	0	0	50	0
04.08.2023	17550	0	0	0	0
07.08.2023	28049	100	0	0	0
09.08.2023	28082	0	0	50	0
11.08.2023	28145	0	20	150	0
14.08.2023 .	28205	0	0	0	0
16.08.2023	28250	0	0	0	0
18.08.2023	28296	0	0	0	0
21.08.2023	28365	50	20	20	0
23.08.2023	28414	0	500	0	0
25.08.2023	28462	250	0	0	0
01.09.2023	28585	0	100	0	0
05.09.2023	28683	0	200	0	0
07.09.2023	28718	0	0	100	0
11.09.2023	28789	0	0	0	0
14.09.2023	30442	50	0	20	0
15.09.2023	30458	0	0	0	0
20.09.2023	30499	0	0	200	0
26.09.2023	30608	0	50	50	0
28.09.2023	30617	0	0	50	0
02.10.2023	10434	0	0	100	0
05.10.2023	10453	100	0	0	0
01.11.2023	14097	50	0	0	0
04.11.2023	10781	90	30	40	0
06-11-2023	10758	0	50	0	0
08-11-2023	10896	0	150	0	0
18-11-2023	23209	100	0	0	0
20-11-2023	23237	0	0	0	0
22-11-2023	23279	50	0	0	0
24-11-2023	23378	50	0	0	0
27-11-2023	23410	0	0	0	0
29-11-2023	23465	0	0	0	0
01-12-2023	23531	0	0	0	0
04-12-2023	23620	0	0	0	0
07-12-2023	23631	100	0	0	0
09-12-2023	23650	0	0	0	0
11-12-2023	23712	400	0	0	0
13-12-2023	23744	0	0	100	0
15-12-2023	23814	0	0	0	0
19-12-2023	23823	0	0	0	0
21-12-2023	23892	0	0	0	0
23-12-2023	23892	100	0	0	0
28-12-2023	23961	100	0	0	0
30-12-2023	26410	50	0	0	0
T	otal	4335	1150	1290	0



REGISTERED OFFICE

GRANULES INDIA LTD., 2nd Floor, 3rd Block, My Home Hub,

Madhapur, Hyderabad - 500 081, Telangana, India.

Tel: +91 40 69043500, Fax: +91 40 23115145, mail@granulesindia.com, www.granulesindia.com

CIN: L24110TG1991PLC012471

Ref. No.: Granules/U1/BMW/2024 /02

Date:18/06/2024

Minutes of Bio Medical Waste Management Committee meeting held on 18/06/2024

- 1. Bio Medical Waste Management Committee meeting held on 18/06/2024 at 03:00 PM in Conference Room.
- 2 Following members were present in the meeting:

LIST OF BIO MEDICAL WASTE (BMW) MANAGEMENT COMMITTEE MEMBERS

S No	Designation of the Committee	Role of the Committee.	Signature
1	Plant Head	Chairman	00
2.	HOD- EHS	Secretary	14
3	Doctor of the OHC	Adviser	ACMASZ.
4	Executive-EHS	Member	Rey
5	Executive-EHS	Member	113/
6	Duty Nurse	Member	
7	Duty Nurse	Member	(O) W
8	Executive HR & admin	Member	Timber

Following point were discussed in the meeting

3. Biomedical waste is being discarded in discriminate manner under mentioned areas:

Sr. no.	Location	Observation
1	OHC Room –BMW Collection Bin.	Needles were found in red poly bag.
2	OHC Room –BMW Collection Bin.	Syringe and needle cap in blue dustbin.
3	OHC Room –BMW Collection Bin.	 Cotton was found in red poly bag. NS Bottles were found in black poly bag.
4	OHC records keeping rack	 Mismatch colored poly bag. (Yellow colored poly bag installed was in black dustbin.)
5	Availability of disposal records.	 Needles recapping were found in puncture proof container.
6	Anti-dotes availability	 Needles recapping was found in puncture proof container

- 4. To stop recapping of needles was discussed in the meeting.
- 5. Housekeeping & BMWM Dept:
 - The housekeeping department should ensure that the dustbin in the bio-medical waste collection area does not use polythene (big polythene bag).
 - It should also be safe to use the garbage bin trolley for the collection of biomedical waste (Ward area).

(DC Venkata Reddy)

Chairperson- BMW Management Committee



REGISTERED OFFICE

GRANULES INDIA LTD., 2nd Floor, 3rd Block, My Home Hub,

Madhapur, Hyderabad - 500 081, Telangana, India.

Tel: +91 40 69043500, Fax: +91 40 23115145, mail@granulesindia.com, www.granulesindia.com

CIN: L24110TG1991PLC012471

Ref. No.: Granules/U1/BMW/2024 /03

Date:19/12/2024

Minutes of Bio Medical Waste Management Committee meeting held on 19/12/2024

- 1. Bio Medical Waste Management Committee meeting held on 19/12/2024 at 04:00 PM in Training hall.
- 2 Following members were present in the meeting:

LIST OF BIO MEDICAL WASTE (BMW) MANAGEMENT COMMITTEE MEMBERS

S No	Designation of the Committee	Role of the Committee.	Signature
1	Plant Head	Chairman	00
2	HOD- EHS	Secretary	14
3	Doctor of the OHC	Adviser	4 graph c
4	Executive-EHS	Member	OBSIL
5	Executive-EHS	Member	MA
6	Duty Nurse	Member	
7	Duty Nurse	Member	(0) XX
8	Executive HR & admin	Member	hill

Following point were discussed in the meeting

3. Biomedical waste discarding procedure and facilities.

Sr. no.	Location	Observation
-	OHC Room –BMW Collection Bin.	Some of expiry medicines are found in red Bin, these expiry medicines are supposed to store in yellow bin only. Accordingly counselled the staff once again.
2	OHC Room –BMW Collection Bin.	 Some of the needles and used syringes are found in yellow bin, which are supposed to store in white bin. Accordingly counselled the staff once again
	OHC Room –Medical oxygen cylinder	 Medical oxygen cylinder pressure gauge is not working properly, immediately contacted maintenance department and arranged new pressure gauge.
4	OHC records keeping rack	Mismatch colored poly bag. (Yellow colored poly bag installed was in black dustbin.)
5	OHC room	Found that weighing balance is showing error. Immediately changed the balance with new one

4. Housekeeping & BMWM Dept:

• The housekeeping department should ensure that twicw a daily cleaning in entire OHC room.

(DC Venkata Reddy)

Chairperson- BMW Management Committee